

PILOT SALOON	48	Price excl. tax.
Boat définition (I	Price at 29/11/2022)	
Standard		
P	ILOT SALOON 48	682,500.00€
Basic Equipment		
	eak on sidedecks (black caulking)	17,745.00€
	eak on foredeck (black caulking)	9,187.50€
	ow thruster in tunnel (10CV) with dedicated battery set	12,337.50€
L	eather upholstery – Florida (full grain, smooth aspect)	4,725.00€
А	lcantara upholstery	3,675.00€
S	hoal draft – Lead keel (1,8 m) (price may vary)	10,657.50€
D	eep draft – Lead keel (2,3 m) (price may vary)	15,750.00€
E	lectronic engine control lever	6,720.00€
5	bladed MaxProp feathering propeller	8,295.00€
R	ope cutter	945.00€
C	oloured hull – Gelcoat (no warranty)	13,125.00€
U	SA Specifications	2,625.00€
Equipements		
d 2	ack Energie : Groupe électrogène 7kVa 230V 50Hz avec sa batterie émarrage, 3 batteries gel supplémentaires 3x140AmpH, chargeur 30V–12V supplémentaire 60Amp, Convertisseur 12V–230V 2000W, 2ième lternateur sur moteur 12V–125A.	35,595.00€
Spars & Rigging		
A	symetric Spinnaker rigging and gear (2 halyards, 2 sheets, deck hardware)	7,990.00€
F	ixed inner forestay with manual furler	6,562.50€
E	lectrical Genoa furler	11,235.00€
н	ydraulic backstay ram	2,257.50€
C	hainplate for inner forestay on deck	1,575.00€
L	aquered spars (white) for slab-reefed main (mast, boom, vang, spreaders)	7,507.50€
	aquered spars (white) for manual in-mast furling main (mast,boom, vang, preaders)	14,175.00 €
C	arbon-fibre spinnaker pole with deck gear and running rigging	9,607.50 €
Sails		
M	lainsail FullBatten Offshore	13,650.00€
Ir	n-mast furling mainsail Offshore	10,500.00€
G	enoa on furler Offshore	10,237.50€
S	olent on self–tacking Offshore	9,870.00€

"Price in Euros ex works subject to change without notice."



	Price excl. tax.	
Sails		
Staysail on furler on self-tacking Offshore	3,990.00€	
Code 0 MYLAR FIBRES with furler	15,370.00€	
Mainsail FullBatten Cruising	12,337.50€	
Mainsail In-mast Furling Cruising	9,187.50€	
Genoa on furler Cruising	8,925.00€	
Solent on self-tacking Cruising	8,662.50 €	
Staysail on furler on self-tacking Cruising	2,730.00€	
Code 0 NYLON with furler	12,337.50€	
Lazy Bag (Lazy Jacks)	2,782.50€	
Asymmetric Spinnaker	10,710.00€	
Deck Equipment		
Self-tacking track for solent or staysail	5,512.50€	
Set of 6 inflatable fenders with intergrated electrical pump	1,470.00€	
Teak seats on pullpits (fold-away)	1,837.50€	
Carbon-fibre recessible tender davits	6,982.50€	
Bathing platform electrified (with remote control)	6,195.00€	
Carbon-fibre folding gangway with stanchions and stow-away bag	3,780.00€	
Stainless steel grab rails on foredeck	1,050.00€	
Sprayhood (Sunbrella)	3,780.00€	
Cockpit cushions (Sunbrella)	4,200.00€	
Cockpit Protection kit (wheel + cockpit table covers)	2,100.00€	
Foredeck mattresses (Sunbrella)	3,832.50 €	
Carbon wheels Ø900	4,357.50€	
Deck-wash pump on foredeck (sea water)	1,837.50€	
Translucent solar protection screens for windows	2,887.50€	
Equipements de pont		
Pack Winches Electriques : 2x 46.2 + 2x 52.2 FS Andersen E1	15,015.00€	
Bimini Sunbrella avec Arceau aluminium laqué blanc	17,220.00€	
Equipements intérieurs		
Réfrigérateur intégré dans la table de cockpit + 4 Lampes encastrées.	2,440.00 €	
Téléviseur Miroir 32 Encastré dans la carré.	1,895.00€	
Pack HIFI FUSION + Haut-Parleurs intérieurs & extérieurs.	2,450.00€	
Mechanical & Electrical equipment		

"Price in Euros ex works subject to change without notice."



		Price excl. tax.	
Mechanical (& Electrical equipment		
	Galley foot pump (sea and fresh water)	1,732.50€	
	Watermaker (100I/h)	14,542.50€	
	Electric cooker (3 vitro-ceramic burners and oven)	2,520.00€	
	Microwave in the galley (stainless steel front) (230V 50Hz)	945.00€	
	Dishwasher in the galley (6persons) (230V 50Hz)	1,995.00€	
	Washing machine 6 Kg 230V 50Hz	2,310.00€	
	Freezer 11°C (12V)	3,832.50 €	
	Webasto diesel heater in all cabins + boiler water circuit	17,850.00€	
	Reversible airconditioning in all cabins (230V)	27,300.00€	
	Carpet for interior (Somerset)	5,670.00€	
	Electrical toilet aft head starboard	2,362.50€	
	Electrical toilet fwd head port	2,362.50€	
lectronics			
	Raymarine electronics pack - Chart table: 1 chartplotter Es127 + 1 repeater I70s + VHF Ray 260 with speaker - Port helm station: 2 repeaters I70s + VHF Ray260 - Stbd helm station: 1 repeater I70s + autopilot control P70 - Cockpit table: 1 chartplotter Es127 - Autopilot Compas Gyro AV-1 calculator ACU400 - Transducer AIS-650 Class B - Capteur DST800 sondeur, loch, température - Hydraulic autopilot ram	26,827.50 €	
	Radar Raymarine 4KW on mastbracket	3,675.00 €	
	Remote autopilot control Raymarine (SmartController)	1,260.00€	
Delivery			
	Anti-fouling : epoxy primer + hard matrix	7,875.00€	
	Transport North Sea	6,930.00€	
	Transport Altantic (La Rochelle)	9,660.00€	
	Transport Med (France)	14,122.50€	
ivraison Wa	nuquiez		
	Preparation (launching, ringging, preparation)	13,650.00€	

number of options: 97



General characteristics

Design by	Berret - Racou	peau Yacht Design					
Shipyard	Wauquiez (Fra	nce)					
L.O.A		14,77m	Fuel capacity	1	650 l app	rox.	
L.W.L		12,75m	Fresh water capacity		615 l approx.		
Maximum beam		4,61m	Engine	Engine		110 hp Yanmar	
Standard draft	(cast iron)	2,10m					
Shoal keel draft (lead).		1,80m	Sail plan				
Deep keel draft (lead)		2,35m	Main sail	52 m2	1	18,45 m	
Light displacement		14 000 Kg	Genoa	50 m2	J	5,22 m	
Standard draft ballast weight		3 900 Kg	Gennaker	85 m2	Р	17,35 m	
Deep draft balla	ast weight	3 700 Kg	Spinnaker	160 m2	Ε	5,40 m	
Shoal draft ballast weight		4 080 Kg	Design Categ	Design Category (CE)		A – 8 pers.	
		Approximative data	•				

Construction

- GRP / Balsa sandwich hull built with the infusion process, for an optimum resin / fibre ratio.
- Hull protected by the use of bisphenolic resin on the external layers of the sandwich.
- One-piece composite structure integrating lateral and longitudinal reinforcements glassed and bonded to the bottom, spreading the rig and appendages efforts throughout the hull.
- GRP/Balsa sandwich deck fitted on the hull via polyurethane bonding and mechanical fastening at bulwark level.
- Iron bulb keel, fastened with stainless steel bolts, nuts and counterplates.
- Cable transmission steering system with 2 steering wheels; composite rudder shaft, needle bearings.

Spars and rigging

- Anodized aluminium Sparcraft Performance (or similar) mast.
- 3 sets of aft swept spreaders.
- Anodized aluminium Sparcraft (or similar) boom with outhaul, 2 automatic and one manual reefs.
- Rigid boom vang.
- Facnor (or similar) genoa furler.
- Single strand stainless steel standing rigging: double backstay, main forestay, lower, intermediate and upper shrouds.
- Running rigging: Main halyard (Dyneema) and genoa halyard (Vectran), boom topping lift, main and genoa sheet outhaul, 3 reefs and genoa furler adjusting line.

Deck fittings

- Harken ball bearing blocks. Spinlock deck stoppers.
- 2 Andersen 52 ST FS 2-speed primary winches close to steering stations.
- 2 Andersen 46 ST FS 2-speed manoeuvring winches close to steering stations.

- Mainsheet led back to manoeuvring winches.
- 2 Harken genoa tracks with adjustable car.
- Turning blocks at mast step and cockpit levels as necessary.

Mooring equipment

- Delta 25KG anchor with 50 m / 12 mm chain and 50m warp.
- 4 mooring lines (black)
- 6 fenders + 6 fender socks (black).

Deck equipment

- Teak cockpit seats and floor.
- Tender garage with tilting aft platform (electric assistance option available).
- Removable stainless steel swim ladder.
- Liferaft stowage on pushpits.
- 2 steering positions with dedicated space for electronics, engine control and engine panel on starboard.
- 1 compass mounted on cockpit table.
- Emergency tiller.
- 1 gear locker under cockpit seat.
- 1 gas locker under cockpit seat.
- Winch handle boxes.
- Cold molded teak cockpit table with 2 folding leaves, fitted on stainless steel support.
- 3 large opening ports for light and ventilation in the aft cabin.
- Bulwark with solid teak cover and 6 stainless steel custom fairleads.
- 6 stainless steel mooring cleats.
- Stainless steel fresh water and fuel filler caps.
- 2-part stainless steel aft pulpit with 2 closing wires, outboard engine support.
- Flagstaff bracket on deck.
- "Open" type stainless steel bow pulpit.
- Double stainless steel lifelines.
- Stainless steel stanchion with lateral opening gates.
- 2 deck lifelines with folding pad eyes.



- 2 folding pad eyes for life-jacket in the cockpit.
- 2 stainless steel handrails on cabin top.
- Large stained lateral windows in PMMA with teak louver, 8 opening ports.
- Panoramic stained PMMA windshield.
- 8 opening deck hatches, 11 opening portholes, 7 fixed hull portholes.
- 2 dorade boxes on coachroof and 2 integrated dorades for aft cabin for inside ventilation, stainless steel protection for the 2 front ones.
- Sail locker forward, grating and electric bilge pump.
- Self-raining anchor locker with hook and sail bag attaching rod, 1500 W windlass with vertical gipsy for 12 mm chain.
- Stainless steel protection forward of chain locker.
- Stainless steel bow fitting with 2 rollers and Gennaker fixing.
- Shore-power outlet with connection cable.
- Shore fresh water inlet.

Inside accommodations

- The interior woodwork is built in teak and beeswaxed. The floorboard is made in laminate wengé. The deck is doubled with a GRP liner. The hull liner is covered by vinyl.
- For an outstanding comfort mattresses and cushions are made of high-density foam. All berths are equipped with a slatted base and lee cloths and have cold molded teak fiddles around the beddings.

Companionway

- Stained PMMA hatch boards with lock and in-deck recessed storage.
- Stained PMMA sliding companionway hatch.
- Curved laminated teak steps with non-skid inserts.
- 2 stainless steel handrails (leather wrapped).
- Wet locker to starboard.

Saloon

- Single level saloon with panoramic vision either standing or seated, at the dining table or at the chart table.
- Large engine room and technical compartment below saloon with hinges and levers on floorboards.
- "U" shaped dinette to starboard with cabinetwork dining table.
- Bar and numerous lockers under seats and behind backrests.
- Settee / Navigator's seat to port with stowage under the seats and behind the backrests.
- Chart table with chart stowing space, bookrack, lockers and reading lights.
- Panel for navigation electronics in teak with a leather belt.
- 4 large opening hatches and 8 lateral opening ports.
- Large locker to starboard for optional washing machine.

Galley to port

• The galley has an "L" shape and is located in a gangway to port of the companionway.

- Synthetic marble double sink with mixer tap.
- Large synthetic marble working countertops.
- Stainless steel 3 burner gimballed stove with oven.
- Solenoid safety valve for gas circuit.
- 12 V refrigerator (140 I / 37 US Gal.approx.)
- 100l icebox (12 V negative temperature option available).
- Cutlery drawer, large pots and pans drawer, various lockers and storage spaces, waste bin.
- Opening port above galley.
- Exclusive Wauquiez crockery for 6 persons.

Cabin(s) aft of saloon

- Choice of 2 alternative layouts:
- a) Owner's aft cabin (standard version)
- Large lit hanging locker to port and storage alongside the hull. Centreline bed (2,05 x 1,60 m). Bed tilts up on gas springs to allow access to storage under. Vanity to starboard with table and mirror. Numerous lockers and storage spaces.
- 3 large opening ports into the cockpit, 4 fixed hull portholes.

Or

b) 2 guest cabins (option)

- Aft cabin to Starboard with double lateral bed, drawers under the bed, hanging locker to port, lockers and storage, 2 cockpit opening portholes and 2 hull fixed portholes.
- Double cabin to Port with 2 superimposed berths, hanging locker, lockers, shelves alongside the hull, 1 cockpit opening porthole and 2 hull fixed portholes.

Aft bathroom

- Synthetic marble washbassin with mixer tap.
- Cabinet with mirror.
- Marine toilet (large model).
- Independent shower with grating and draining electric pump.
- 1 opening deck hatch, 1 opening porthole.

Cabin(s) forward of saloon

- Choice of 2 alternative layouts:
- a) 2 guest cabins forward of saloon (standard version)
- Double cabin to starboard with 2 superimposed berths, 1 large locker with shelves, lockers under berth, shelves alongside the hull, 1 opening hatch and 1 fixed hull porthole.
- Forward cabin with double centre bed, drawers under the bed, hanging locker to port, lockers and storage, 1 large opening hatch and 2 fixed hull portholes.

Or

b) 1 owner's aft cabin (option)

• Large owner's cabin with lateral double bed to starboard, drawers under the bed, double hanging locker, lockers, shelves alongside the hull, settee and desk, 2 opening hatches and 1 fixed hull porthole, lee clothes.

Guest's bathroom to port

- Synthetic marble washbasin with mixer tap.
- Cabinet with mirror.



- Marine toilet (large model).
- Independent shower with grating and draining electric pump.
- 1 opening port & 1 hull fixed porthole.

Engine equipment

- YANMAR 110 HP engine.
- 12 V / 125 Amp. alternator
- Propeller shaft protected by external skeg.
- 3 bladed fixed propeller.
- 650 I / 172 US Gal. approx. fuel tank with decanter filter.
- 75 Amp engine start battery.
- Lit engine room with themric/sound insulation.

Electrics

- 12 V. service circuit with 3 X 135 Amp. gel batteries.
- Shore power outlet with 12 V / 50 Amp. battery charger.
- \bullet 12V / 230 V (or 12V / 115V) electric panel with touchscreen control interface (can be controlled remotely from a smartphone). Installed at chart table.
- Ceiling recessed LED lighting throughout.
- Reading lights at each bed, in the saloon and at the chart table.

Plumbing / Fresh Water

- Total capacity of 615 I / 162 US Gal. approx. With electric gauge under the floorboards, dock fresh water inlet.
- \bullet 40 l / 11 US Gal. approx. water heater working from engine or from 220 V. circuit.
- 12 V water system.
- Electric draining pumps in shower compartments.
- Cockpit shower cold/hot water.

Black waters

• 2 x 80 l / 21 US Gal. approx. holding tank for toilets.

Draining

- Self-draining cockpit and chain locker.
- Electric automatic bilge pump with manual switch at electric panel.
- Double effect manual bilge pump in the cockpit.
- Electric automatic bilge pumps in tender garage and in sail locker.

Comfort equipment

- Stereo radio/ CD MP3 (USB, Bluetooth) + 2 HP Bose with Bass booster.
- Curtains / blinds on all portholes.
- Skyscreen-flyscreens on all opening hatches.



